

RESOLUTION NO. 684

A RESOLUTION OF THE BOARD OF COMMISSIONERS
OF BIRCH BAY WATER & SEWER DISTRICT, WHATCOM COUNTY,
WASHINGTON, AMENDING DISTRICT CODE TO
PROHIBIT PRIVATE WATER METERS

WHEREAS, the Board wishes to update the District Code to reflect that private water meters are not permitted on the District water system; and

WHEREAS, the foregoing recital and finding is a material part of this Resolution;

NOW, therefore, be it resolved by the Board of Commissioners of Birch Bay Water and Sewer District, Whatcom County, Washington as follows:

Section 1: Chapter 7.12, Private Meters, of the District Code is hereby repealed.

Section 2: Section 7.04.330 is hereby amended to add the following subsection:

C. Installation of any private water meter on the water system operated by the district is prohibited.

Section 3: If any section, subsection, sentence, clause or phrase of this Resolution is for any reason held to be invalid or unconstitutional, such decision shall not affect the validity of the remaining portions of this Resolution. The Board of Commissioners hereby declare that it would have passed this code and each section, subsection, sentence, clause and phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses or phrases has been declared invalid or unconstitutional, and if, for any reason, this Resolution should be declared invalid or unconstitutional, then the original Resolution or Resolutions shall be in full force and effect.

Section 4: This Resolution shall be effective immediately.

ADOPTED by the Board of Commissioners of Birch Bay Water & Sewer District, Whatcom County, Washington, at a regular meeting held the 11th day of June, 2009.



COMMISSIONER




COMMISSIONER



COMMISSIONER

THIS IS TO CERTIFY that the above is a true and correct copy of Resolution No. 684 of Birch Bay Water & Sewer District, Whatcom County, Washington, adopted at the regular meeting of the Board of Commissioners on June 11, 2009.



SECRETARY