## RESOLUTION NO. 193

A RESOLUTION OF THE BOARD OF COMMISSIONERS OF WHATCOM COUNTY WATER DISTRICT NO. 8, WHATCOM COUNTY, WASHINGTON, RELATING TO AND PROVIDING FEES FOR SIDE SEWER CONNECTION EFFECTIVE ON APRIL 1, 1976.

BE IT RESOLVED by the Board of Commissioners of Whatcom County Water District No. 8, Whatcom County, Washington, as follows:

- 1. Effective April 1, 1976, the fees and charges of the District as they pertain to side sewers shall be:
  - a. Single family dwelling -

Permit fee - \$25.00 Renewal fee - no charge Modification fee - \$10.00 Repair - permit required, no charge Capping - permit required, no charge

b. Multiple dwelling -

Permit fee - \$25.00 for first dwelling unit and \$10.00 for each additional dwelling unit. Renewal fee - no charge Modification fee - \$10.00 per unit Repair fee - \$10.00 Capping fee - \$10.00 per cap required

c. All other structures -

Permit fee - \$25.00 minimum fee; plus \$.01 per square foot of ground area occupied by such structure and its foundation over 2500 square feet through 10,000 wuare feet; plus \$.005 per square foot for the remainder in excess thereof.

Renewal fee - no charge Modification fee - \$10.00 Repair fee - \$10.00 Capping fee - \$10.00 per cap required

- 2. Whenever a fee is based on the area of a structure, that area will be computed by Whatcom County Water District No. 8 upon application for a side sewer permit.
- 3. The fee shall be paid to Whatcom County Water District No.

  8 before the permit is issued and the amount of the fee paid shall
  be shown on the permit and on the record of the side sewer connection
  maintained in the office of Whatcom County Water District No. 8.
- 4. Whenever any portion of the side sewer is to be constructed in a public right-of-way, permits for such work shall be obtained

irisdiction.
oners of Whatcom County Water Dis-
Narol, 1976.
Tullianovoje
P.R. Q' Connor
Judan Selluby St
COMMISSIONERS
The Board of Commissioners of 8 of Whatcom County, Washington, 2 a true and correct copy of 2 Board of Commissioners at a 2 day of